Tuesday, 24/02/2009 1:27:22 PM

User: -

Julie Dawson

Process Sheet

Customer

: CU-DAR001 Dart Helicopters Services

S.O. No. :

Job Number Estimate Number : 46062B

P.O. Number

: 10193

This Issue

: 24/02/2009

: NC

: //

: 45948B

Type

: LARGE FAB ASSY

Part Number

Drawing Name

: D2512 : D2512 REVE

: 350/212/130 BASKET LID

Drawing Number Project Number

: N/A : E

Drawing Revision

Material

: 03/03/2009

Qty:

Each 1 Um:

Written By

Prsht Rev.

First Issue

Previous Run

Checked & Approved By

Comment

Rev Est:M

Added D2012-117 for D130-701-041

RF

Est Rev:N 06.04.05

Added level21

Due Date

Est Rev:O 08-08-29 Est Rev:P 08-09-24

revE as per dwg DD verified by:EC plug holes prior to powder coating DD

verified by:EC

Additional Product

Job Number:



Sea. #:

Machine Or Operation:

Description:

1.0

M304TS0750W065

304 SQ Tube .75x.75x.065W



Comment: Qty.:

45.7594 f(s)/Unit Total: 45.7594 f(s)

Pick:

3/4"x3/4" 304/316 SS tube .065" wall

Batch: M110839

2.0

D31663

Basket Hoop



Comment: Qty.:

1.0000 Each(s)/Unit Total: 1.0000 Each(s)

Pick:

Qty Part Number Description Batch

1 D3166-3

Basket Hoop

845941

2402-25 TD

3.0

D2506

Label Plate

Comment: Qty.:

1.0000 Each(s)/Unit

Total:

1.0000 Each(s)

Pick:

Qty Part Number

Description

1 D2506

Label Plate

Batch B44275

Page 1

	· p · · · ·							
W/O:		WORK ORDER CHA	WORK ORDER CHANGES					
DATE STEP		PROCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector	
L								
Part No) :	PAR #: Fault Category:	NCR: Yes	No DQ	A:	_ Date: _		

Resolution: _____ Disposition: ____ QA: N/C Closed: ____ Date: ____

	WORK ORDER NON-CONFORMANCE (NCR)								
	Description of NC		Corrective Action Section B		V-visionalina	A	T		
STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Chief Eng	Approval QC Inspector		
							<u>.</u>		
	STEP	STEP Description of NC Section A	STEP Description of NC Section A Initial Chief Eng	STEP Description of NC Section A Initial Chief Eng	STEP Description of NC Section A Initial Chief Eng Chi	STEP Description of NC Section A Chief Eng Corrective Action Section B Sign & Date Chief Eng Chi	STEP Description of NC Section A Initial Chief Eng Chief		

NOTE: Date & initial all entries

Date: Tuesday, 24/02/2009 1:27:22 PM User: Julie Dawson **Process Sheet** Customer: CU-DAR001 Dart Helicopters Services Drawing Name: 350/212/130 BASKET LID Job Number: 46062B Part Number: D2512 Job Number: Seq. #: **Machine Or Operation: Description:** 4.0 D23271 Spacer Bushing Comment: Qty.: 2.0000 Each(s)/Unit Total: 2.0000 Each(s) Pick: **Qty Part Number** Description Batch B40390 2 D2327-1 Bushing 5.0 D22321 **Basket Hinge** Comment: Qty.: 2.0000 Each(s)/Unit Total: 2.0000 Each(s) Pick: **Qty Part Number** Description Batch B39454 2 D2232-1 Hinge plate 09.02.26 6.0 D2581 Mounting Bracket Comment: Qty.: 2.0000 Each(s)/Unit Total: 2.0000 Each(s) Pick: **Qty Part Number** Description Batch <u>B4380</u>0 2 D2581 Mounting Bracket 7.0 M304EX07516F Expanded Metal Flat SS Comment: Qtv.: 18.0000 sf(s)/Unit Total: 18.0000 sf(s) Pick: m110292 (2) Batch Description **Qty Part Number** 18 sf M304EX0.75-16F Expanded Metal <u>M110</u> 861 (16) 8.0 LARGE FAB 1 LARGE FABRICATION RESOURCE 1 Comment: LARGE FABRICATION RESOURCE 1 1-Cut 3/4" x 3/4" square tubing as per Dwg D2512 2-Cut (4) D2236 From D3166-3 3-Drill holes in D2512-1 as per Dwg D2512 using Drill Jig DT8305 5-Weld as per Dwg D2512 using Welding Table and corner Jig Deburr as required

W/O:		WORK ORDER CH	WORK ORDER CHANGES								
DATE	STEP	PROCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector				
Part No	:	PAR #: Fault Category:	NCR: Yes	No DQ	Δ.	Date:					

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)								
		P Description of NC Section A		Corrective Action Section B			A			
DATE	STEP		Initial Chief Eng	Action Description Chief Eng	Sign & Date	Verification Section C	Approval Chief Eng	Approval QC Inspector		
·										
		. •								
		144.								

NOTE: Date & initial all entries

Date:	Tuesday, 24/02/2009 1:27:22 PM	
User: `	Julie Dawson	Process Sheet
Custo	mer: CU-DAR001 Dart Helicopters Servi	pes Drawing Name: 350/212/130 BASKET LID
Job Nun	nber: 46062B	Part Number: D2512
Job Number:		
Seq. #:	Machine Or Operation:	Description :
9.0	QC9	VISUAL WELDING INSPECTION
Co		
10.0	QC6	ON UPLO9-02-27 DIMENSIONAL CHECK
10.0		
Co	omment: DIMENSIONAL CHECK	509/00/7/40
11.0	POWDER COATING	POWDER COATING
		M109996 (K)
Co	omment: POWDER COATING	
	4 51 4 4 5 50504 47	
	1- Plug holes in D2581 and in	D2327-1 bushing prior to powder coating
	2- Powder Coat White Gloss (Ref: 4.3.5.1) as per QSI 005 4.3
		(.00
	1ST COAT:	
	START TIME: OVEN TEMPERATURE:	
	FINISH TIME:	1-30
	OND COAT.	1:45
	2ND COAT: START TIME:	11-706
	OVEN TEMPERATURE:	$\frac{1}{100}$ 15
	FINISH TIME:	2,10 /11/1/ 09/02/28
12.0	HAND FINISHING1	HAND FINISHING RESOURCE #1
Co	mment: HAND FINISHING RESOURC	<u>=</u> #1
		ack as per Dwg D2512 and QSI 005 4.4 Batch: / 1055 U H 09-02-03
13.0	QC3	INSPECT POWDER COAT/CHEMICAL CONVERSION
	mment: INSPECT POWDER COAT/CH	IEMICAL CONVERSION 69/82/82
14.0	PACKAGING 1	PACKAGING RESOURCE #1
Co	mment: PACKAGING RESOURCE #1	
	Identify and Stool	مري هاما
	Location: III 46	067 9/3/3 50

Form: rprocess

Page 3

W/O:		WORK ORDER CHANGES									
DATE	STEP	PROCEDURE CHANGE			Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector		
								3			
								i			
Part No	•	PAR #:	Fault Cate	egory:	NCR: Yes	No DQ	A:	Date:			
Resolution:			Disposition	QA: N/C Closed: Date:							
NCR:			WORK ORD	ER NON-CONFORMA	NCE (NCF	R)					
DATE	STED	Description of NC		tion B Ver		cation	Approval	Approval			
DAIL	SILF	STEP Section A	Initial Chief Eng	Action Description Chief Eng	Sign 8 Date	k Secti	Section C	Chief Eng	QC Inspector		
				:							
i											
				•							

NOTE: Date & initial all entries

Date:

Tuesday, 24/02/2009 1:27:22 PM

User:

Julie Dawson

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: 350/212/130 BASKET LID

Job Number: 46062B

Seq. #:

Job Completion

Job Number:

Machine Or Operation:

Description:

Part Number: D2512

15.0



FINAL INSPECTION/W/O RELEASE


MF 69-03-03


W/O:	1. <u>1.</u>	WORK ORDER CHAN	WORK ORDER CHANGES							
DATE	STEP	PROCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector			
Part No):	PAR #: Fault Category:	NCR: Yes	No DQ	A:	_ Date: _				
	j	Resolution: Disposition:	QA: N/C C	losed:		Date:				


NCR:		WORK ORDER NON-CONFORMANCE (NCR)								
		Description of NC	Corrective Action Section B			Verification	A			
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Approval Chief Eng	Approval QC Inspector		
							•			
						,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,				
								-n.		
						·				
					.,,					
NOTE: D	ate & initial al	Il entries						<u> </u>		


PARTS LIST FOR D2512 BASKET LID ASSEMBLY

PART NO	QUANTITY	LENGTH A	LENGTH B	DESCRIPTION
D2512-1	2		25.50	RIB
D2512-3	2		95.30	RIB
D2512-5	6	30.84		RIB
D2512-7	3	30.63		RIB
D2232-1	2	N/A	N/A	HINGE PLATE
D2236	4	N/A	N/A	RIB
D2327-1	2	N/A	N/A	BUSHING
D2506	1	N/A	N/A	LABEL PLATE
D2581	2	N/A	N/A	MOUNTING BRACKET











E	WAS 0.060 WAL FROM 95.30 DIM FORMAT AND U SHT 3 VIEWS IN MATERIAL CALL CHANGE HINGI	AJS CP	08.06.17 01.04.19				
С		REMOVE DOUBLE SKIN SECTION, ADDED MEMBERS, INCORP DEO 9074					
В	ADDED LATCH	BW	96.05.24				
Α	NEW ISSUE	BW	95.11.21				
REV.		BY	DATE				
DESIGN	I DM	DADT ACDOCD	ACE	TD			

DESIGN	ВW	DART AEROSPACE L	DART AEROSPACE LTD			
DRAWN	AJS	HAWKESBURY, ONTARIO, CANAL	DA .			
CHECKED	1.5	DRAWING NO.	REV. E			
MFG. APPR.	124	D2512 SH	EET 1 OF 4			
APPROVED	107	TITLE	SCALE			
DE APPR.	1-1-	BASKET LID ASSEMBLY (350/212)	NTS			

08.06.17

COPYRIGHT © 1995 BY DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS BUPPLIED ON THE EXPRESS CONDITION THAT IT IS
AND TO BE USED FOR ANY PURPOSE, OR COPIED OR COMMINICATED TO MY OTHER PERSON WITHOUT
WHITTIES OF PERMASON PRUPO PART AIROPINALE ATO

D2512-11-31-51-7 NOTES:
1) MATERIAL: AISI 304/316 SS, 3/4 X 3/4 X 0.065 WALL SQUARE TUBING REF. DART SPEC M304TS0.750W.065
2) FINISH: N/A
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX

2) FINISH: N/A
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX

6) IDENTIFICATION: NONE 7) WEIGHT: N/A

8) CUT LENGTH/SHAPE PER DIAGRAM AND PARTS LIST

RETURN TO
ENGINEERING
UNCONTROLLED COP
SUBJECT TO AMENDMENT

3

SHOP COPY

